49" LG MONITOR LS75 SERIES

49LS75A

FEATURES:

- 49" IPS Panel
- Slim design & Resistance to Blackening Effect
- Ideal for Restaurants, QSR and Retail with Customisable WebOS

- Native Resolution : 1920 x 1080 (Full HD)
- Aspect Ratio : 16:9
- Brightness : 700cd/m^2
- Contrast Ratio : 1,300:1
- Response Time : 8 ms (G to G)

Technical Data

49LS75A

PANEL	
Screen Size	49" (124 cm)
Panel Technology	IPS
Aspect Ratio	16 : 9
Native Resolution	1920 x 1080 (Full HD)
Brightness	700cd/m^2
Contrast Ratio	1,300 : 1
Dynamic CR	500,000 : 1
Response Time	8ms (G to G)
Viiewing Angle (H x V)	178° x 178°
CONNECTIVITY	
Input (Rear) Digital	HDMI (2)/ DP(1)/ DVI(1)
Analogue	NA
Audio	DVI(3.5Φ 1)
External Control	RS232C (1), RJ45 (1), IR/Light sensor(1)
USB	Yes (1)
Output (Rear) Digital	DP(1)
Audio	External Speaker(1), Power 20W (10W x 2)
External Control	RS232C (1)
PHYSICAL SPECIFICATIONS	
Bezel Width	7.4mm(T/L/R/B)
Monitor Dimension (W x H x D)	110 x 63 x 3 (cm)
Dimension with optional stand (W x H x D)	110 x 70 x 30 (cm)
Weight (head)	15.6kg
Weight(head+stand)	17kg
Carton Dimensions (W x H x D)	120 x 74 x 13 (cm)
Packed Weight	18.7kg
VESA™ Standard Mount Interface	400 x 400 mm
Weight(head+stand+speaker)	17.8kg
SPECIAL FEATURES	
Additional	Tile Mode, Brightness/Contrast/Backlight Key Lock, DPM Select, File Play with USB, Input Label, Smart energy saving, Auto power/Source Memory
ENVIRONMENT CONDITIONS	
Operation Temperature	0 °C to 40 °C
Operation Humidity	10 % to 80 %
POWER	
Power Supply	100-240V~, 50/60Hz
Power Consumption	
Typical / Smart Energy Saving on	125W/90W
DPM	0.7W(DVI, HDMI, DP)
Power Off	0.5W
Power Type	Built-In-Power
STANDARD (CERTIFICATION)	
Comparative Energy Consumption	N/A (kWh/Year)
Star Rating	N/A (Stars)
Active Standby	N/A (W)
Safety	UL/cUL /CB/TUV /KC
EMC	FCC Class "A"/CE/KCC, C-Tick
ErP/US EPA	No / Yes (Energy Star 6.0)
MEDIA PLAYER COMPATIBILITY	
Slot PC compatible (optional)	No
External Media player Attachable	Yes
ACCESSORIES	
Included	Remote Controller (including 2ea battery), Power Cable, IR Receiver, CD (Owner's Manual)
Optional	SP-2100, HDMI Cable, ST-200T, KT-OPSA (OPS kits LSW440S, AN-WF500(WiFi USB Dongle), KT-SPO MP 500, MP 700
Warranty	3 years parts and labour

Disclaimer: All product specifications correct at time of printing. Specifications may change without prior notice.